FILE 'REGISTRY' ENTERED AT 15:36:27 ON 22 OCT 2009
EXP HEPARIN/CN
1 S E3
EXP LEUCINE/CN
2 S E3
1 S N-ACETYLCYSTEINE/CN
12 S ISOLEUCINE/CN OR CYSTEINE/CN OR PHENYLALANINE/CN OR LYSINE/CN
FILE 'HCAPLUS' ENTERED AT 15:37:48 ON 22 OCT 2009
30466 S L1
174610 S L2-L4
703 S L5 AND L6
161250 S PULMONARY OR INHALER OR INHALABLE OR INHALED OR INHALATION

92 S L7 AND L8 26 S L9 AND (PY<2004 OR AY<2004 OR PRY<2004)

L1 L2 L3 L4

L5 L6 L7 L8

L9

L10

=> file registry COST IN U.S. DOLLARS

=> exp heparin/cn

E12

1

SINCE FILE ENTRY

0.22

TOTAL.

0.22

SESSION

FULL ESTIMATED COST

FILE 'REGISTRY' ENTERED AT 15:36:27 ON 22 OCT 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 21 OCT 2009 HIGHEST RN 1189417-78-4
DICTIONARY FILE UPDATES: 21 OCT 2009 HIGHEST RN 1189417-78-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 26, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

```
HEPAREMIN/CN
E1
                1
E2
                 1
                        HEPAREXINE/CN
E3
               --> HEPARIN/CN

HEPARIN (PHYSARUM POLYCEPHALUM STRAIN LU-353)/CN

HEPARIN 3-PYRIDYLMETHYL ESTER/CN

HEPARIN 4-HYDROXY-M, N-DIMETHYLBUTYRAMIDE/CN

HEPARIN ACTATE/CN

HEPARIN ACTYLGLUCOSAMINE DEACETYLASE/CN

HEPARIN BENZETHONIUM SALT/CN

HEPARIN BENZETHONIUM SALT/CN

HEPARIN BENZYL ESTER/CN

HEPARIN BENZYL ESTER/CN
                1 --> HEPARIN/CN
E.4
E5
E6
E7
E8
E9
E10
E11
E12
                       HEPARIN BENZYL ESTER SODIUM SALT/CN
=> s e3
L1
                 1 HEPARIN/CN
=> exp leucine/cn
E1
                 1
                         LEUCINANILIDE/CN
E2
                         LEUCINANILIDE, N-PHOSPHONO-L-ALANYL-, BIS(P-NITROBENZYL) EST
                         ER, L-/CN
                 2 --> LEUCINE/CN
                         LEUCINE B-NAPHTHYLAMIDASE/CN
                 1
E5
                 1
                         LEUCINE 2,2,2-TRICHLOROETHYL ESTER/CN
                        LEUCINE 2,3-AMINOMUTASE/CN
E6
                 1
                       LEUCINE 2-BROMOETHYL ESTER HYDROCHLORIDE/CN
E7
                 1
E8
                 1
                       LEUCINE 2-NAPHTHYLAMIDASE/CN
                       LEUCINE 2-NAPHTHYLAMIDE/CN
E9
                 1
E10
                1
                       LEUCINE 2-OCTYLDODECYL ESTER/CN
E11
                1
                       LEUCINE 2-OXOGLUTARATE TRANSAMINASE/CN
```

LEUCINE 3-PHENYL-2-THIOHYDANTOIN/CN

```
=> s e3
```

L2 2 LEUCINE/CN

=> s N-acetylcysteine/cn

L3 1 N-ACETYLCYSTEINE/CN

- => s isoleucine/cn or cysteine/cn or phenylalanine/cn or lysine/cn or valine/cn or methionine/cn
 - 2 ISOLEUCINE/CN
 - 2 CYSTEINE/CN
 - 2 PHENYLALANINE/CN
 - 2 LYSINE/CN
 - 2 VALINE/CN
 - 2 METHIONINE/CN
- L4 12 ISOLEUCINE/CN OR CYSTEINE/CN OR PHENYLALANINE/CN OR LYSINE/CN
 OR VALINE/CN OR METHIONINE/CN

=> file hcaplus

COST IN U.S. DOLLARS

SINCE FILE ENTRY TOTAL

SESSION

FULL ESTIMATED COST

49.11 49.33 3 ON 22 OCT 2009

FILE "HCAPLUS" ENTERED AT 15:37:48 ON 22 OCT 2009
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 22 Oct 2009 VOL 151 ISS 17
FILE LAST UPDATED: 21 Oct 2009 (20051021/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Aug 2009
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Aug 2009

HCAplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2009.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy.html

This file contains CAS Registry Numbers for easy and accurate substance identification.

```
=> s 11
L5 30466 L1
```

=> s 12-14 43849 L2

8636 L3

```
1.6
       174610 (L2 OR L3 OR L4)
=> s 15 and 16
           703 L5 AND L6
=> s pulmonary or inhaler or inhalable or inhaled or inhalation
        113710 PULMONARY
          2774 INHALER
          1389 INHALABLE
         18055 INHALED
         44626 INHALATION
L8
        161250 PULMONARY OR INHALER OR INHALABLE OR INHALED OR INHALATION
=> s 17 and 18
1.9
           92 L7 AND L8
=> s 19 and (PY<2004 or AY<2004 or PRY<2004)
      24038746 PY<2004
       4808272 AY<2004
       4281581 PRY<2004
            26 L9 AND (PY<2004 OR AY<2004 OR PRY<2004)
=> d 110 1-26 ti abs bib
L10 ANSWER 1 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
TT
     Pharmaceutical compositions and method for treatment of chronic
     inflammatory diseases
     This invention defines novel compns. that can be used for clin. treatment
     of a class of chronic inflammatory diseases. Increased generation of
     carbonyl substances, namely aldehydes and ketones, occurs at sites of
     chronic inflammation and is common to the etiologies of all of the clin.
    disorders addressed herein. Such carbonyl substances are cytotoxic and
    addnl. serve to perpetuate and disseminate the inflammatory process. This
    invention defines use of compns., the orally administered required primary
     agents of which are primary amine derivs. of benzoic acid capable of
    covalently reacting with the carbonyl substances. P-Aminobenzoic acid is
     an example of the required primary agent of the present invention. PABA
    has a small mol. weight, is water-soluble, has a primary amine group which
    reacts with carbonyl-containing substances and is tolerated by the body in
    relatively high dosages for extended periods. The method includes
    administration of a composition comprising: (1) an orally consumed
    therapeutically effective amount of at least one required primary agent; (2)
    at least one required previously known medicament co-agent recognized as
     effective to treat a chronic inflammatory disease addressed herein
    administered to the mammalian subject via the oral route; and (3) one or
     more addnl. orally consumed required co-agent selected from the group
     consisting of antioxidants, vitamins, metabolites at risk of depletion,
     sulfhydryl co-agents, co-agents which may facilitate glutathione activity
     and nonabsorbable primary amine polymeric co-agents; so as to-produce an
     additive or synergistic physiol. effect of an anti-inflammatory nature.
AN
     2008:1156137 HCAPLUS <<LOGINID::20091022>>
DN
     149:409732
ΤI
    Pharmaceutical compositions and method for treatment of chronic
     inflammatory diseases
IN
    Shapiro, Howard K.
PA
    USA
SO
    U.S. Pat. Appl. Publ., 35pp., Cont.-in-part of U.S. Ser. No. 924,945.
    CODEN: USXXCO
DT
    Patent
LA English
FAN.CNT 5
```

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 20080234380	A1	20080925	US 2008-70518	20080220 <
	US 20050090553	A1	20050428	US 2004-924945	20040824 <
PRAI	US 1992-906909	B2	19920630	<	
	US 1994-241603	B2	19940511	<	
	US 1997-814291	B2	19970310	<	
	US 2000-610073	B2	20000705	<	
	US 2004-924945	A2	20040824		
OSC G	1 THERE AR	E 1 CAPLE	IS RECORDS	THAT CITE THIS RECORD	(1 CITINGS)

L10 ANSWER 2 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN

Peptides and peptide mimetics to treat pathologies characterized by an inflammatory response

AB The invention provides novel active agents (e.g. peptides, small organic mols., amino acid pairs, etc.) that ameliorate one or more symptoms of atherosclerosis and/or other pathologies characterized by an inflammatory response. In certain embodiments, the peptides resemble a G* amphipathic helix of apolipoprotein J. The agents are highly stable and readily administered via an oral route. Peptide preparation is included.

2007:151052 HCAPLUS <<LOGINID::20091022>>

DN 146:244343

AN

TI Peptides and peptide mimetics to treat pathologies characterized by an inflammatory response

Fogelman, Alan M.; Navab, Mohamad

PA The Regents of the University of California, USA

SO U.S. Pat. Appl. Publ., 313pp., Cont.-in-part of U.S. Ser. No. 423,830. CODEN: USXXCO

DT Patent

LA English

FAN.C	NT 12				
	PATENT NO.	KIN		APPLICATION NO.	
PI	US 20070032430				
	US 6664230	B1	20031216	US 2000-645454	
	US 20030045460	A1	20030306		
	US 6933279	B2	20050823		
	US 6933279 CN 1375299	A	20021023	CN 2001-103876	20010823 <
	CN 1739787	A	20060301	CN 2005-10103876	
	CN 1911439	A	20070214	CN 2006-10100670	20010823 <
	CN 1931358	A	20070321	CN 2006-10100667	
	CN 1931359	A	20070321	CN 2006-10100669 CN 2006-10100668	20010823 <
	CN 1943781	A	20070411	CN 2006-10100668	20010823 <
	EP 1864675				
	R: AT, BE,	CH, CY,	DE, DK, ES,	FI, FR, GB, GR, IE, I	T, LI, LU, MC,
	NL, PT,	SE, TR			
	US 20030171277 US 7144862	A1	20030911	US 2002-187215	20020628 <
	US 7144862	B2	20061205		
	US 20030229015 US 7166578	A1	20031211	US 2002-273386	20021016 <
	US 7166578	B2	20070123		
	US 20040266671	A1	20041230	US 2003-423830	20030425 <
	US 7199102 JP 2006056899	B2	20070403		
				JP 2005-304531	20051019 <
		B2			
	JP 2006312650				
	JP 2007277250				
	US 20080095821		20080424		
	JP 2008150358				
	AU 2007237157				20071126
	AU 2007237157				
	ZA 2007010184	A	20081126	ZA 2007-10184	20071126

```
US 20080293639 A1 20081127 US 2007-950315 20071204
AU 2009202705 A1 20090723 AU 2009-202705 20090703
                                                                          20090703 <--
PRAI US 2000-645454
                          A2 20000824 <--
     US 2001-896841
                           A2 20010629 <--
     US 2002-187215
                           A2 20020628 <--
     US 2002-273386
                           A2 20021016 <--
     US 2003-423830
                          A2 20030425 <--
     US 2005-676431P
                           P 20050429
                           P
     US 2005-697495P
                                  20050707
     CN 2001-103876
                           A3 20010823 <--
     CN 2001-817280
                           A3 20010823 <--
     CN 2005-101038'6 A3 20010823 <--
EP 2001-966198 A3 20010823 <--
JP 2002-520844 A3 20010823 <--
WO 2001-052649'7 A2 20010823 <--
JP 2005-304531 A3 20051019
     AU 2006-200035
                            A3
                                   20060106
     US 2006-407390
                            A1
                                   20060418
     JP 2006-220831
                            A.3
                                   20060814
     AU 2007-237157
                             A3
                                   20071126
```

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

OS MARPAT 146:244343

OSC.G 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

- L10 ANSWER 3 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- TI Methods of cardioprotection using dichloroacetate in combination with an inotrope
- AB The invention provides methods for maintaining or improving cardiac function after a cardiac function disturbing event by the use of cardioprotective dichloroacetate (DCA) and a inotropic drug. The invention also provides pharmaceutical compns. comprising the combination of DCA and inotropic drug, pharmaceutically acceptable carriers and optional other therapeutic agents. Also provided are the dosage protocols for the DCA and inotropic drug combination.
- AN 2006:891335 HCAPLUS <<LOGINID::20091022>>
- DN 145:263302
- TI Methods of cardioprotection using dichloroacetate in combination with an inotrope
- IN Lopaschuk, Gary D.; Collins-Nakai, Ruth
- PA University of Alberta, Can.
- SO U.S. Pat. Appl. Publ., 36 pp., Cont.-in-part of U.S. Ser. No. 13,666. CODEN: USXXCO
- DT Patent
- LA English

	PATENT NO.					KIN	D	DATE			APPL	ICAT	ION	NO.		D	ATE		
PI		2006				A1	_	2006	0831		US 2	005-	2291	 01		2	0050	916	<
	US	6693	133			B1		2004	0217		US 2	002-	2680	69		2	0021	007	<
	US	2004	0162	346		A1		2004	0819		US 2	004-	7787	91		2	0040	213	<
	US	7432	247			B2		2008	1007										
	US	2005	0282	896		A1		2005	1222		US 2	004-	1366	6		2	0041	215	<
	WO	2006	0634	46		A1		2006	0622		WO 2	005-0	CA18	94		2	0051	215	
		W:	ΑE,	AG,	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,	
			CN,	co,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,	
			GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KM,	KN,	KP,	KR,	
			KZ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	LY,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	
			MZ,	NA,	NG,	NI,	NO,	NZ,	OM,	PG,	PH,	PL,	PT,	RO,	RU,	SC,	SD,	SE,	
			SG,	SK,	SL,	SM,	SY,	TJ,	TM,	TN,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VC,	
			VN,	YU,	ZA,	ZM,	zw												
		RW:	ΑT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FI,	FR,	GB,	GR,	HU,	IE,	

```
IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
             CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
             GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
             KG, KZ, MD, RU, TJ, TM
                                 20070322
                                           WO 2006-CA1523
     WO 2007030944
                          A2
                                                                      20060915
     WO 2007030944
                          A.3
                                 20070503
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,
             KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN,
             MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS,
             RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ,
             UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
         RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
             IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
             CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
             GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
             KG, KZ, MD, RU, TJ, TM, AP, EA, EP, OA
                                20021007 <--
PRAI US 2002-268069
                         A1
     US 2004-778791
                          A2
                                 20040213
     US 2004-13666
                          A2
                                 20041215
     US 2005-229101
                          Α
                                 20050916
ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
L10 ANSWER 4 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
     Methods of cardioprotection using dichloroacetate in combination with an
     inotrope
    The invention provides methods for maintaining or improving cardiac
     function after a cardiac function disturbing event by the use of
     cardioprotective dichloroacetate (DCA) and a inotropic drug. The
     invention also provides pharmaceutical compns. comprising the combination
     of DCA and inotropic drug, pharmaceutically acceptable carriers and
     optional other therapeutic agents. Also provided are the dosage protocols
     for the DCA and inotropic drug combination.
    2006:605351 HCAPLUS <<LOGINID::20091022>>
    145:55943
    Methods of cardioprotection using dichloroacetate in combination with an
     inotrope
    Lopaschuk, Gary D.; Collins-Nakai, Ruth
    The Governors of the University of Alberta, Can.
     PCT Int. Appl., 115 pp.
     CODEN: PIXXD2
    Patent
     English
FAN.CNT 5
                        KIND
                                                                 DATE
     PATENT NO.
                                 DATE
                                            APPLICATION NO.
                         A1
                                20060622
                                           WO 2005-CA1894
    WO 2006063446
         W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MW, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SZ,
             SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC,
             VN, YU, ZA, ZM, ZW
         RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
             IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
             CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
```

GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,

20041215 <--

A1 20051222 US 2004-13666

KG, KZ, MD, RU, TJ, TM

US 20050282896

ΤI

AB

ΑN DN

ΤI

IN

PA SO

DT

LA

PΤ

Ţ	US	20060194878	A1	20060831	US	200	-229101	20050916	<
PRAI 0	US	2004-13666	A	20041215					
Ţ	US	2005-229101	A	20050916					
Ţ	US	2002-268069	A1	20021007	<				
Ţ	US	2004-778791	A2	20040213					

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD RE.CNT 9 ALL CITATIONS AVAILABLE IN THE RE FORMAT

- L10 ANSWER 5 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- ΤI Compositions treatment of chronic inflammatory diseases
 - This invention defines novel compns. that can be used for clin. treatment of a class of chronic inflammatory diseases. Increased generation of carbonyl substances, aldehydes and ketones, occurs at sites of chronic inflammation and is common to the etiologies of all of the clin. disorders addressed herein. Such carbonyl substances are cytotoxic and addnl. serve to perpetuate and disseminate the inflammatory process. This invention defines use of compns., the orally administered required primary agents of which are primary amine derivs. of benzoic acid capable of reacting with the carbonyl substances. P-Aminobenzoic acid (or PABA) is an example of the required primary agent of the present invention. PABA has a small mol. weight, is water soluble, has a primary amine group which reacts with carbonyl-containing substances and is tolerated by the body in relatively high dosages for extended periods. The method of the present invention includes administration of a composition comprising: (1) an orally consumed primary agent; (2) a previously known medicament co-agent recognized as effective to treat a chronic inflammatory disease addressed herein administered to the mammalian subject via the oral route, other systemic routes of administration or via the topical route; and (3) optionally 1 or more addnl. orally consumed co-agent selected from the group consisting of antioxidants, vitamins, metabolites at risk of depletion, sulfhydryl co-agents, co-agents which may facilitate glutathione activity and nonabsorbable primary amine polymeric co-agents, so as to produce an additive or synergistic physiol. effect of an anti-inflammatory nature.
- 2005:369133 HCAPLUS <<LOGINID::20091022>> AN DN 142:435774
 - TΙ Compositions treatment of chronic inflammatory diseases
- IN Shapiro, Howard K.

CODEN: USXXCO

- PA
- SO U.S. Pat. Appl. Publ., 44 pp., Cont.-in-part of U.S. Ser. No. 610,073, abandoned.
- DT Patent
- LA English

FAN.CNT	5						
PATI	ENT NO.	KIND	DATE	API	PLICATION NO.	DATE	
PI US 2	20050090553	A1	20050428	US	2004-924945	20040824	<
US :	20080234380	A1	20080925	US	2008-70518	20080220	<
PRAI US :	1992-906909	B2	19920630	<			
US :	1994-241603	B2	19940511	<			
US :	1997-814291	B2	19970310	<			
US :	2000-610073	B2	20000705	<			
US 2	2004-924945	A2	20040824				

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT OS MARPAT 142:435774

OSC.G 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS)

- L10 ANSWER 6 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- TI Pharmaceutical compositions
- The present invention relates to pharmaceutical compns. which are useful

in the treatment of diseases where excess mucus is present in the respiratory tract, such as cystic fibrosis and chronic obstructive pulmonary disease. In particular, the invention relates to pharmaceutical compns. for administration by pulmonary inhalation. Thus, in a first aspect of the present invention, a composition for assisting mucus clearance is provided, the composition comprising

one or more mucoactive agents for reducing crosslinking within the mucus; for diluting the mucus; and/or for digesting naked DNA and cell debris within the mucus. Preferably, the composition according to the invention further has the effect of reducing inflammation. In one embodiment of the present invention, the composition comprises one or more mucoactive agents together with an addnl. active agent such as an anti-inflammatory agent. In a particularly preferred embodiment of the present invention, the mucoactive agent for reducing crosslinking is a glycosaminoglycan such as heparin. A further group of mucoactive agents capable of assisting mucus clearance are amino acids. Acetylcysteine (NAC) and the acetylcysteine salt derivative Nacystelyn (or NAL) are also effective mucoactive agents which are suitable for inclusion in the compns. of the present invention.

ΑN 2005:259852 HCAPLUS <<LOGINID::20091022>>

DN 142:329858

TI Pharmaceutical compositions

IN Morton, David; Ganderton, David; Staniforth, John; Kamlag, Yorick

PA Vectura Limited, UK

PCT Int. Appl., 60 pp.

CODEN: PIXXD2

Patient. LA English FAN.CNT 1

PATENT NO. KIND DATE APPLICATION NO. DATE WO 2005025540 ----______ ΡI A2 20050324 WO 2004-GB3932 20040915 <--WO 2005025540 A3 20050616 W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN. TD, TG AU 2004271778 A1 20050324 AU 2004-271778 20040915 <--CA 2538399 A1 20050324 CA 2004-2538399 20040915 <--EP 2004-768478 EP 1663151 A2 20060607 20040915 <--R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR BR 2004014425 A 20061114 BR 2004-14425 20040915 <--BR 2004014425 A 20061114 BR 2004-14425 CC 1874757 A 20061206 CC 2004-80032679 JP 2007505830 T 20070315 JP 2006-525902 SG 146649 A1 20081030 SG 2008-6902 NZ 515550 A 20090331 NZ 2004-545550 RR 20363448 C2 20090310 RU 2006-112583 KR 2006082865 A 20060719 KR 2006-705166 MX 2006002952 A 20060920 MX 2006-2952 NX 2006002154 A 20060411 NO 2006-1254 ZA 2006002748 A 20070530 ZA 2006-2748 IN 2006001269 A 20070629 IN 2006-671264 JR 200600205 A 20070629 IN 2006-671264 JR 2006002748 A 200706320 JR 2006-671264 JR 200700322 JR 2006-571184 20040915 <--20040915 <--20040915 <--20040915 <--20060314 <--20060315 <--20060317 <--20060404 <--

20060413 <--20060717 <--

```
PRAI GB 2003-21611 A
                           20030915 <--
                            20031128 <--
    GB 2003-27723 A
WO 2004-GB3932 W
                            20040915
```

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

OSC.G 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS) RE.CNT 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

- L10 ANSWER 7 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- TI Methods for preparing pharmaceutical compositions
- AB The present invention relates to improvements in dry powder formulations comprising a pharmaceutically active agent for administration by inhalation, and in particular to methods of preparing dry powder compns. with improved properties. In particular, spray drying processes are adapted and adjusted to obtain active particles with higher fine particle fractions and fine particle doses. Spray drying 18 heparin from 10% methanol, ethanol and propan-1-ol resulted in a lowering of fine particle fraction from approx. 20% when spray dried from aqueous solvent using identical parameters to 2-6% fine particle fraction.
- AN 2005:259847 HCAPLUS <<LOGINID::20091022>>
- DN 142:303679
- TI Methods for preparing pharmaceutical compositions
- IN Morton, David; Kamlag, Yorick
- PA Vectura Limited, UK
- SO PCT Int. Appl., 71 pp.
- CODEN: PIXXD2
- Patent
- LA English

RE.CNT 5

FAN.		ENT I	.00		KIN)	DATE				ICAT				D.	ATE	
PI	WO :	2005	0255	35	A2										2	0040	915 <
		W:					AU,										
							DE,										
							ID,										
							LV,										
							PL,										
							TZ,										
		RW:					MW,										
							RU,										
							GR,										
					BF,	ΒJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,	NE,
				TD,				0.00									0.05
	EP.																915 <
		R:					ES,							ΝL,	SE,	MC,	PT,
	110	2000					TR,								2	0000	C10 +
DDIT		2006									006-	5/09	02			UUUU	619 <
PRAI							2003		<-	_							
							2004										
ASSI									T T	NI TO	ne n	TODI	7 V E	ODMA!	т.		
OSC.		ил п. 1															

- L10 ANSWER 8 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- TI Treatment , prevention and management of pain, fever, neoplasm, inflammation, and hemorrhagic diseases by compound for any aspirin-related activity other than TAFI inhibition

ALL CITATIONS AVAILABLE IN THE RE FORMAT

THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD

The invention screens compds. for any aspirin-related activity other than AB TAFI inhibition, and also for non-inhibition of TAFI. Compds. identified

by the screening methods can be used to treat, prevent or manage in a patient pain, fever, colon cancer, pancreatic cancer or an inflammatory, platelet aggregation, fibrinolytic or hemorrhagic disease or disorder. Also provided is a method of evaluating test compds. for TAFI inhibitory activity wherein the TAFI inhibitory activity of these test compds. is compared to the TAFI inhibitory activity of aspirin or its derivs. or metabolites. Further provided is a method of treating, preventing or managing in a patient, a hemorrhagic or thrombotic disease or disorder with high dose aspirin or aspirin derivs. or metabolites. Also contemplated is a method of treating, preventing or managing in a patient, pain, fever, colon cancer, pancreatic cancer or an inflammatory, platelet aggregation, fibrinolytic or hemorrhagic disease or disorder comprising administering aspirin or a derivative thereof or any other therapeutic having at least one desired therapeutic or prophylactic activity of aspirin to a patient in need thereof and administering to the patient a factor that promotes TAFIa activity, e.g. stablized TAFIa, to ameliorate one or more adverse side effects of the therapeutic.

AN 2004:203632 HCAPLUS <<LOGINID::20091022>>

DN 140:247063

TΙ Treatment , prevention and management of pain, fever, neoplasm, inflammation, and hemorrhagic diseases by compound for any aspirin-related activity other than TAFI inhibition

IN Grennfield, Robert S.; An. Seong Soo A.; Trifonov, Latchezar; Vaugeois, Jean: Slemon, Claire

American Diagnostica, Inc., USA; Quebepharma Recherche, Inc. PA

SO PCT Int. Appl., 72 pp. CODEN: PIXXD2

DT Patent

LA English

FAN.	CNT 1			DATE			
			APPLICATION NO.				
PI			WO 2003-US27070	20030829 <			
	WO 2004019882						
	W: AE, AG, AL	, AM, AT, AU, AZ,	BA, BB, BG, BR, BY, BZ,	CA, CH, CN,			
	CO, CR, CU	CZ, DE, DK, DM,	DZ, EC, EE, ES, FI, GB,	GD, GE, GH,			
	GM, HR, HU	ID, IL, IN, IS,	JP, KE, KG, KP, KR, KZ,	LC, LK, LR,			
	LS, LT, LU	LV, MA, MD, MG,	MK, MN, MW, MX, MZ, NI,	NO, NZ, OM,			
	PG, PH, PL	PT, RO, RU, SC,	SD, SE, SG, SK, SL, SY,	TJ, TM, TN,			
	TR, TT, TZ	UA, UG, UZ, VC,	VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE	LS, MW, MZ, SD,	SL, SZ, TZ, UG, ZM, ZW,	AM, AZ, BY,			
	KG, KZ, MD	RU, TJ, TM, AT,	BE, BG, CH, CY, CZ, DE,	DK, EE, ES,			
	FI, FR, GB	GR, HU, IE, IT,	LU, MC, NL, PT, RO, SE,	SI, SK, TR,			
	BF, BJ, CF	CG, CI, CM, GA,	GN, GO, GW, ML, MR, NE,	SN, TD, TG			
	AU 2003265832	A1 20040319	AU 2003-265832	20030829 <			
	US 20050222096	A1 20051006	US 2003-651659	20030829 <			
	US 7119068	B2 20061010					
			EP 2003-791931	20030829 <			
	R: AT, BE, CH	DE, DK, ES, FR,	GB, GR, IT, LI, LU, NL,	SE, MC, PT,			
			CY, AL, TR, BG, CZ, EE,				
	US 20080305508		US 2006-544906				
PRAI	US 2002-407138P	P 20020829	<				
	US 2002-407395P						
	US 2003-651659						
	WO 2003-US27070						
ASST			LE IN LSUS DISPLAY FORMA	т			
	MARPAT 140:247063			_			

RE.CNT 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

- TI Compositions and methods for the pulmonary delivery of aerosolized medicaments
- AB According to the subject invention, dispersible dry powder pharmaceutical-based compns. are provided, including methods for their manufacture and dry powder dispersion devices. A dispersible dry powder pharmaceutical-based composition is one having a moisture content of less than about 10% by weight (%w) water, usually below about 5%w and preferably less than about 3%w; a particle size of about 1.0-5.0 µm mass median diameter (MMD), usually 1.0-4.0 µm MMD, and preferably 1.0-3.0 µm MMD; a delivered dose of about >30%, usually >40%, preferably >50%, and most preferred >60%; and an aerosol particle size distribution of about 1.0-5.0 µm mass median aerodynamic diameter (MMAD), usually 1.5-4.5 µm MMAD, and preferably 1.5-4.0 µm MMAD. Such compns. are of pharmaceutical grade purity. Examples are provided of zinc insulin, parathyroid hormone, interleukin-1 receptor, calcitonin, al-antitrypsin, β-interferon, heparin, lipid genetic vector, and adenoviral vector formulations for pulmonary delivery. Formulations of growth hormones suitable for treatment of short stature or renal failure are claimed.
- AN 2004:11058 HCAPLUS <<LOGINID::20091022>>
- DN 140:65165
- TI Compositions and methods for the pulmonary delivery of aerosolized medicaments
- IN Platz, Robert M.; Patton, John S.; Foster, Linda; Eljamal, Mohammed PA Nektar Therapeutics. USA
- PA Nektar Therapeutics, USA SO U.S., 12 pp., Cont.-in-part of U.S. 6,231,851.
- CODEN: USXXAM
- DT Patent
- LA English

FAN.	CNT	20			
	PA'	TENT NO.	KIND DATE	APPLICATION NO	. DATE
ΡI		6673335			20000714 <
				908 EP 1999-110369	19920702 <
	EP	940154	B1 20070	418	
		R: AT, BE, CI	, DE, DK, ES,	FR, GB, GR, IT, LI, L	U, MC, NL, SE
	EP	1693080	A2 20060	823 EP 2006-9725	19920702 <
	EP	1693080	A3 20070	725	
				FR, GB, GR, IT, LI, L	
	ΑT	359842	T 20070	515 AT 1999-110369	19920702 < 19920702 <
	ES	2284226	T3 2007:	.101 ES 1999-110369	19920702 <
	US	5785049	A 1998	728 US 1994-309691	19940921 <
	NZ	329747	A 2000	825 NZ 1995-329747	19950207 <
	EP	1462096	A1 20040	825 NZ 1995-329747 929 EP 2004-76082	19950207 <
	EP	1462096	B1 2008:	210	
				FR, GB, GR, IT, LI, L	
	EP	2036541	A1 20090	318 EP 2008-21259	19950207 <
		R: AT, BE, CI	, DE, DK, ES,	FR, GB, GR, IE, IT, L	I, LU, MC, NL, PT, SE
	TW	576750	B 20040	221 TW 1995-841017 624 US 1995-423515	26 19950224 <
	US	6582728	B1 20030	624 US 1995-423515	19950414 <
	WO	9531479	A1 1995:	.123 WO 1995-US6008	19950515 <
		W: AM, AT, AU	, BB, BG, BR,	BY, CA, CH, CN, CZ, D	E, DK, EE, ES, FI,
		GB, GE, H	, IS, JP, KE,	KG, KP, KR, KZ, LK, L	R, LT, LU, LV, MD,
		MG, MN, M	, MX, NO, NZ,	PL, PT, RO, RU, SD, S	E, SG, SI, SK, TJ,
		TT, UA			
		RW: KE, MW, SI	, SZ, UG, AT,	BE, CH, DE, DK, ES, F	R, GB, GR, IE, IT,
		LU, MC, NI	, PT, SE, BF,	BJ, CF, CG, CI, CM, G	A, GN, ML, MR, NE,
		SN, TD, TO			
		6231851	B1 20010	515 US 1997-737724	19970714 <
	US	20020132787	A1 20020	919 US 2001-978826	20011016 <
	US	20020192164	A1 2002	.219 US 2002-141044	20020507 <

		20030053959 6737045	A1 B2	20030320 20040518	US	2002-141028	20020507	<
		20030086877	A1	20030508	IIC	2002-245705	20020918	/
		20040096400	A1	20040520		2003-612376	20030701	
		7521069	B2	20090421	0.0	2003 012370	20030701	`
		20040096401	A1	20040520	IIS	2003-613078	20030701	<
		20050279349	A1	20051222		2003-693318	20031024	
		2006077032	A	20060323		2005-350682	20051205	
	US	20090203576	A1	20090813	US	2009-396525	20090303	
PRAI	US	1992-910048	A2	19920708	<			
	US	1993-44358	B1	19930407	<			
	US	1994-246034	B2	19940518	<			
	US	1994-309691	A2	19940921	<			
	US	1994-313707	B2	19940927	<			
	US	1995-383475	B2	19950201	<			
	US	1995-417507	B2	19950404	<			
	US	1995-423515	A1	19950414	<			
	WO	1995-US6008	W	19950515	<			
	US	1997-737724	A2	19970714	<			
	US	1991-724915	A	19910702	<			
	EP	1992-914592	A3	19920702	<			
	EP	1999-110369	A3	19920702	<			
	US	1994-207472	A	19940307	<			
	US	1994-232849	A1	19940425	<			
		1995-909506	A3	19950207	<			
	EP	2004-76082	A3	19950207	<			
		1995-523456	A3	19950207	<			
		1995-281112	A1	19950207	<			
	US	1995-576885	A1	19951222	<			
		1996-668036	A1	19960617	<			
		1997-979024	A1	19971126	<			
		1999-427075	A3	19991026	<			
		1999-427836	A1	19991026	<			
		1999-447753	A1	19991122	<			
		2000-561690	A1	20000501	<			
		2000-616236	A1	20000714	<			
	US	2002-245706	A1	20020918	<			

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
OSC.G 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)
RE.CNT 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 10 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN

TI Preparation of stable particles in frozen aqueous matrix for pharmaceutical suspensions

AB The present invention discloses a composition of a stable suspension of a portly water soluble pharmaceutical agent or cosmetic in the form of particles of the pharmaceutical or cosmetic suspended in a frozen aqueous matrix and method for its preparation. The composition is stable for a

prolonged

period of time, preferably 6 mo or longer and is suitable for parenteral, oral, or non-oral routes such as pulmonary (inhalation), ophthalmic, or topical administration. Thus, suspension was obtained

), ophthalmic, or topical administration. Thus, suspension was obtained from Poloxamer-188 2.2, sodium deoxycholate 0.1, glycerin 2.2, and nabumetone 1%.

AN 2003:319276 HCAPLUS <<LOGINID::20091022>>

DN 138:343861

TI Preparation of stable particles in frozen aqueous matrix for pharmaceutical suspensions

IN Kipp, James E.; Doty, Mark J.; Rebbeck, Christine L.; Brynjelsen, Sean; Teresa, Konkel Jamie PA Baxter International Inc., USA SO U.S. Pat. Appl. Publ., 19 pp.

CODEN: USXXCO

DT Patent

LA English FAN.CNT 1

		ENT:														DATE			
PI	US	2003 7112	0077	329		A1		2003	0424									011 <-	-
											CA 2	002-	2463	313		2.1	0021	018 <-	_
																		018 <-	
																	CH,		
																	GE,		
																	LK,		
																	OM,		
																		TZ,	
			UA,	UG,	UZ,	VC.	VN.	YU,	ZA.	ZM,	ZW								
		RW:	AT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FI,	FR,	GB,	GR,	IE,	IT,	
			LU,	MC,	NL,	PT,	SE,	SK,	TR										
	AU	2002	3378	94		A1		2003	0506		AU 2	002-	3378	94		2	0021	018 <-	_
	AU	2002	3378	94		B2		2007	0712										
	EP	1435	909			A1		2004	0714		EP 2	002-	7737	97		2	0021	018 <-	-
		R:	ΑT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,	
									MK,										
	JP	2005	5069	99		T		2005	0310		JP 2	003-	5375	98		2	0021	018 <-	-
	CN	1750	811			A		2006	0322		CN 2	002-	8207	92		2	0021	018 <- 419 <-	-
	MX	2004	0036	75		A		2004	0723		MX 2	004-	3675			2	0040	419 <-	-
																		519 <-	
	US	2006	0222	711		A1		2006	1005		US 2	006-	4251	25		2	00606	519 <-	-
PRAI	US	2001	-347	548P		P		2001	1019	<-	-								
		2002																	
		2002																	
TPPA	CNIME	H TMS	TSTO	RY E	OR III	C PA'	TEMT	27/2	TI.AR	LE T	M LS	HS D	TOPI.	AV F	AMAC	T			

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
OSC.G 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (4 CITINGS)
RE.CNT 306 THERE ARE 306 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

- L10 ANSWER 11 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- TI Pharmaceutical compositions for buccal and pulmonary administration comprising an alkali metal alkyl sulfate and at least three micelle-forming compounds
- AB Pharmaceutical compns. comprising a macromol. pharmaceutical agent in mixed micelles form are disclosed. The mixed micelles are formed from an alkali metal alkyl sulfate, and at least three different micelle-forming compds. Micelle size ranges between about 1 and 10 nm. Methods for making and using the compns. are also disclosed. A preferred method for administering the present composition is through the buccal region of the mouth. For example, to 1000 mg of powdered insulin dissolved in 10 mL of distilled water were added 50 mg sodium lauryl sulfate, 36 mg doxycholate, 50 mg trihydroxyoxcholanylglycine (sodium glyocholate) and 20 mg dibasic Na phosphate followed by 250 mg glycerin, 40 mg m-cresol and 40 mg phenol. The solution (1 mL) was pipetted into 10 mL capacity glass vials, the vials were charged with HFR-134a propellant and stored at room temperature. The oral insulin composition prepared (70 unit dose) performed much better in diabetic patients than hypoglycemic Metformin tablets in controlling glucose levels.
- AN 2002:711276 HCAPLUS <<LOGINID::20091022>>
- DN 137:237738
- TI Pharmaceutical compositions for buccal and pulmonary administration comprising an alkali metal alkyl sulfate and at least three

```
micelle-forming compounds
```

IN Modi, Pankaj

PA Generex Pharmaceuticals Incorporated, Can.

SO U.S., 11 pp., Cont.-in-part of U.S. Ser. No. 519,285.

CODEN: USXXAM DT Patent

DT Patent LA English

FAN.CNT 8

		TENT				KIN)	DATE					ION						
PI	US US US CA	6451 6436 6312 6375 2410 2410	286 367 665 975 065			B1 B1 B1		2002 2002 2001 2002 2001	0917 0820 1106 0423 1122 0407		US 2 US 1 US 1	000- 999- 999- 000-	5745 2514 3862 5192 2410	04 64 84 85		2 1 1 2	9990: 9990: 0000:	519 217 831 306	< <
		2001		c 0		A1			1122		in 2	001	CA66	1		2	0010	607	
	WO	W:			AL,														\
					CZ,														
					IL,														
					MA,														
					SG,														
			ZA.		,	,	,	,	,	,	,	,	,	,	,	,	,	,	
		RW:	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,	
			DE,	DK,	ES,	FI,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL,	PT,	SE,	TR,	BF,	
			ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GW,	ML,	MR,	NE,	SN,	TD,	TG			
	EP	1296	648			A1		2003	0402		EP 2	001-	9312	81		2	0010	507	<
		R:			CH,								LI,	LU,	NL,	SE,	MC,	PT,	
					LT,														
	ΝZ	5225 2003	24			A		2003	0725		NZ 2	001-	5225	24		2	0010	507	<
	JP	2003	5334	69		T		2003	1111		JP 2	001-	5837	37		2	0010	507	<
	US	2003	0035	831		A1		2003	0220		JS 2	002-	2226	99		2	0020	816	<
	US	6849 2003 7087	263			B2		2005											
	US	2003	0157	029		A1		2003			JS 2	002-	2222	40		2	0020	816	<
								2006						_					
		2002				A			0606				1143						
		2003				A1			0303		AU 2	003-	2594	66		2	0030	814	<
DD3.7		2003 1998				BZ		2009											
PKAI		1998							1221										
		1999				A2			0831										
		2000				A2 A2			0306										
		2000		504		n.c			0519										
		2001						2001		<-									
		2001				Tel			0221										
		2001		12		7.3			0507										
		2001		61		W			0507										
		2002							0816										
		2003				W			0814										
ASSI		ENT H			OR U	PA						US D	ISPL	AY F	ORMA:	1			
		2															TING	S)	

OSC.G 2 THERE ARE 2 CAPULS RECORDS THAT CITE THIS RECORD (2 CITINGS)
RE.CNT 36 THERE ARE 36 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 12 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN

pulmonary elastic fiber injury using polysaccharides

TI Method for treating respiratory disorders associated with

AB The present invention relates generally to the field of respiratory therapeutics, and in particular to the treatment of disorders of the lung matrix caused by damage to the elastic fibers of the lung matrix. More specifically, methods and materials are disclosed for the delivery to the

lungs of polysaccharides, derivs. thereof and/or drug conjugates, used in the treatment and/or prevention of pulmonary disorders. Chondroitin sulfate A, chondroitin sulfate C, heparan sulfate, hyaluronic acid HA 227K, HA 587K and HA 890K all demonstrated statistically

significant protective effects on Mesogrow-L substrate when it was digested with porcine pancreatic elastase that was statistically significant. Of the substances tested, heparan sulfate seemed to have the

greatest protective effect. 2002:505406 HCAPLUS <<LOGINID::20091022>>

DN 137:57569

AN

- TΙ Method for treating respiratory disorders associated with pulmonary elastic fiber injury using polysaccharides
- IN Cantor, Jerome O.; Kuo, Jing-Wen; Mihalko, Paul J.; Sachs, Dan; Turino, Gerard
- PΑ USA SO
 - U.S. Pat. Appl. Publ., 39 pp., Cont.-in-part of U.S. Ser. No. 79,209. CODEN: USXXCO
- DT Patent
- LA English

FAN.	CNT	5																
	PA:	TENT	NO.			KIN	D	DATE		AI	PLIC	CATIO	ои ис		D,	ATE		
							_								-			
PI	US	2002	200861	852		A1		2002	0704	US	200	1-86	53849		2	0010	523	<
	US	6391	861			B1		2002	0521	US	199	8-79	9209		1	9980	514	<
	EP	1772	2153			A2		2007	0411	EF	200	7-24	41		2	0010	214	<
	EP	1772	2153			A3		2009	0513									
		R:	ΑT,	BE,	CH,	CY,	DE,	DK,	ES,	FI, E	R, 0	B, C	GR, I	E, IT,	LI,	LU,	MC,	
			NL,	PT,	SE,	TR												
	US	2003	301713	332		A1		2003	0911	US	200	2-1	74221		2	0020	617	<
PRAI	US	1998	3-7920	09		A2		1998	0514	<								
	US	2000	-2066	612P		P		2000	0523	<								
	EP	2001	L-9232	276		A3		2001	0214	<								
	US	2001	L-8631	849		A2		2001	0523	<								
	US	2001	L-2983	369P		P		2001	0615	<								
ASSI	GNM	ENT H	IISTO	RY FO	OR US	PA'	TENT	' AVA	ILABI	E IN	LSUS	DIS	SPLAY	FORMAT				

OSC.G 5 THERE ARE 5 CAPLUS RECORDS THAT CITE THIS RECORD (5 CITINGS)

- L10 ANSWER 13 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- Pharmaceutical compositions for buccal and pulmonary application containing alkyl sulfates
- Pharmaceutical compns. comprising a macromol, pharmaceutical agent in mixed micellar form are disclosed. The mixed micelles are formed from an alkali metal alkyl sulfate, and at least three different micelle-forming compds. as described in the specification. Micelle size ranges between about 1 and 10 nm. Methods for making and using the compns. are also disclosed. A preferred method for administering the present composition is through the buccal region of the mouth. A composition was prepared containing insulin which was treated with HCl. NaOH, and Na lauryl sulfate, deoxycholate, Na glycolate, dibasic Na phosphate, glycerol, m-cresol and phenol were added.
- AN 2002:309784 HCAPLUS <<LOGINID::20091022>>
- DN 136:330558
- TΙ Pharmaceutical compositions for buccal and pulmonary application containing alkyl sulfates
 - Modi, Pankai
- PΔ Generex Pharmaceuticals Incorporated, Can.
- SO U.S., 11 pp., Cont.-in-part of U.S. Ser. No. 386,284. CODEN: USXXAM
- Patent
- LA English
- FAN.CNT 8

		TENT :				KIN		DATE				LICA					ATE	
PI	US US US CA WO	6375 6436 6312 6451 2401 2001 2001	975 367 665 286 942 0660	85		B1 B1 B1 B1 A1 A2 A3		2002 2001 2002 2001	0423 0820 1106 0917 0913 0913		US US US US CA	2000 1999 1999 2000	-5192 -2514 -3862 -5745 -2401	164 284 504 1942		2: 1: 1: 2: 2:	9990: 9990: 0000: 0010:	306 < 217 < 831 < 519 < 221 <
	WO	W:	AE, CR, HU, LU,	AG, CU, ID, LV, SE,	CZ, IL, MA,	AM, DE, IN, MD,	AT, DK, IS, MG,	AU, DM, JP, MK,	AZ, DZ, KE, MN,	EE, KG, MW,	ES KP MX	, FI , KR , MZ	GB, KZ, NO,	BY, GD, LC, NZ, UA,	GE, LK, PL,	GH, LR, PT,	GM, LS, RO,	HR, LT, RU,
	ED	RW:	GH, DE, BJ,	GM, DK,	ES,	FI,	FR, CM,	GB, GA,	GR, GN,	IE, GW,	IT ML	, LU , MR	MC,	ZW, NL, SN,	PT, TD,	SE, TG	TR,	
		1261				B1		2002			LL	2001	-3130	,00			0010.	
		R:		BE,	CH,					GB,	GR	, IT	, LI,	LU,	NL,	SE,	MC,	PT,
			IE,	SI,	LT,	LV,			MK,		AL	, TR						
	JP	2003	5258	91		T			0902		JP	2001	-5641	738		2	0010	221 <
	ΑU	7834	31			B2			1027			2001						221 <
	AT	3989	98			T		2008	0715		AΤ	2001	-9196	86		2	0010	221 <
	ES	2309	059			T T3 A1		2008	1216		D.C	2001	0100	20.		2	0010	221 <
	US	2003	0035	831		A1		2003	1216 0220		US	2002	-2226	599				816 <
	US	6849	263			B2		2005										
		2003		029		A1		2003			US	2002	-2222	240		2	0020	816 <
		7087				B2		2006										
		2002		49		A			0414		MX	2002	-8749	9		2	0020	906 <
		2003				A1			0303					166				814 <
		2003				B2		2009								_		
PRAT		1998				P			1221	<-	_							
		1999				A2			0217		_							
		1999				A2			0831		_							
		2000				A2			0306		_							
		2000				A2			0519		_							
		2001				A3			0221		_							
		2001						2001		<-	_							
		2001		12		A.3			0507									
		2001		61		W			0507									
		2002							0816									
		2003				W			0814									
ъсст.		ט ידואי			OD III							CITC	отерт	AV E	ODMA	т		

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
OSC.G 3 THERE ARE 3 CAPLUS RECORDS THAT CITE THIS RECORD (3 CITINGS)
RE.CNT 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 14 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN

TI Treating respiratory disorders associated with pulmonary elastic fiber injury with polysaccharides

AB The present invention relates generally to the field of respiratory therapeutics, and in particular to the treatment of disorders of the lung matrix caused by damage to the elastic fibers of the lung matrix. More specifically, methods and materials are disclosed for the delivery to the lungs of polysaccharides, derivs. thereof and/or drug conjugates, used in the treatment and/or prevention of pulmonary disorders.

Examples are given for the effect of hyaluronic acid on pulmonary emphysema induced by pancreatic elastase, and neutrophil elastase.

AN 2001:903815 HCAPLUS <<LOGINID::20091022>>

- DN 136:42842
- TI Treating respiratory disorders associated with pulmonary elastic
- fiber injury with polysaccharides

 IN Cantor, Jerome; Kuo, Jing Wen; Milhalko, Paul J.; Sachs, Dan; Torino,
 Gerard
- PA The Trustees of Columbia University In the City of New York, USA; Exhale Therapeutics, Inc.
- SO PCT Int. Appl., 80 pp.
- CODEN: PIXXD2
- DT Patent
- LA English

FAN.					KIN		DATE			APPL					D	ATE	
PI		20010938			A2			1213							2	0010	523 <
			AG,						BA.	BB.	BG.	BR.	BY.	BZ.	CA.	CH.	CN.
			CR,														
			HU,														
			LU,														
			SD,														
		YU,	ZA,	ZW													
		RW: GH,			LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,
		DE,	DK,	ES,	FI,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL,	PT,	SE,	TR,	BF,
			CF,														
	CA	2438656			A1		2002	0822		CA 2	001-	2438	656		2	0010	214 <
	WO	20020641	02064149 : AE, AG, AL, CR, CU, CZ,				2002	0822		WO 2	001-	US40	105		2	0010	214 <
		W: AE,	AG,	AL,	AM,	AT,	AU,	ΑZ,	BA,	BB,	BG,	BR,	BY,	BZ,	CA,	CH,	CN,
		HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	ΚZ,	LC,	LK,	LR,	LS,	LT,
			LV,														
		SD,	SE,	SG,	SI,	SK,	SL,	TJ,	TM,	TR,	TT,	TZ,	UA,	UG,	UZ,	VN,	YU,
			ZW														
		RW: GH,															
			DK,													TR,	BF,
			CF,	CG,													
		20012499	85		A1		2002	0828		AU 2	001-	2499	85		2	0010	214 < 214 <
	EP	1379256			A1												
			BE,									LI,	LU,	NL,	SE,	MC,	PT,
			SI,	LT,		FI,	RO,	MK,	CY,	AL,	TR						
		1772153			A2					EP 2	007-	241			2	0010	214 <
	EP	1772153			A3		2009										
			BE,			DE,	DK,	ES,	FΙ,	FR,	GB,	GR,	ΙE,	IT,	LI,	LU,	MC,
			PT,	SE,													
		2410577			A1												523 <
	EP	1292314			A2												523 <
		R: AT,										LI,	LU,	NL,	SE,	MC,	PT,
			SI,									F 0 2 4			_	0010	F00 .
DDAT	JP	20045130	(11n		T		2004	0430		JP Z	002-	5014	19			0010	523 <
PRAI	110	2000-206 2001-US4	0125		P 12		2000	0523	ς-	_							
	WO	2001-054	0105		A3		2001	0214									
		2001-923 2001-US1					2001		<-								
osc.			ERE								TD T	HTC	DECO	DD (C OT	TIMO	C)
RE.C			ERE														0)
AE.U	TAT	0 11	ERE.	nrE	0 (1	TED	CEP E	KENC	LO A	vall.	STOP	- FOR	THI	o RE	CORD		

- L10 ANSWER 15 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- TI Micellar pharmaceutical compositions for buccal and pulmonary application

ALL CITATIONS AVAILABLE IN THE RE FORMAT

AB Pharmaceutical compns. comprising a macromol. pharmaceutical agent in

mixed micellar form are disclosed. The mixed micelles are formed from an alkali metal alkyl sulfate, and at least three different micelle-forming commods. as described in the specification. Micelle size ranges between about 1 and 10 mm. A composition contained powdered insulin, Na lauryl sulfate,

deoxycholate, Na glycocholate, dibasic Na phosphate, and glycerin. A preferred method for administering the present composition is through the buccal region of the mouth.

AN 2001:850912 HCAPLUS <<LOGINID::20091022>>

DN 136:11112

TI Micellar pharmaceutical compositions for buccal and pulmonary application

IN Modi, Pankaj

PA Generex Pharmaceuticals Inc., Can.

SO PCT Int. Appl., 32 pp.

CODEN: PIXXD2

LA English

FAN.CNT 8

PI W0 2001087268		PA:	TENT I	мо.			KIN)	DATE			APPL	ICAT	ION	NO.		D	ATE		
RN: GH, GM, KE, LS, MM, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG US 6451286 GB 20020171 US 2000-574504 CA 2410065 A1 20011122 CA 2410065 C C 20990407 EP 1296648 A1 200120407 ER: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR NZ 52524 A 20030429 B2 2001552254 20010507 < MX 200214366 A1 20030408 MX 2002-11436 20010507 < MX 20021436 A2 20030606 MX 2002-11436 20021119 < MU 2003259466 A1 20040303 AU 2003-259466 20030814 < AU 2003259466 A2 20090108 AU 2006200276 A1 2006209 AU 2006-200276 20060123 < PRAI US 2000-574504 A 20000519 < PRAI US 2000-574504 A2 20000519 < US 1999-386284 A2 19990217 < US 1999-386284 A2 19990217 < US 2000-519285 A2 200010221 < WO 2001-18515 W 20010221 <	PI	WO		AE, CR, HU, LU, SD,	AG, CU, ID, LV, SE,	AL, CZ, IL, MA,	AM, DE, IN, MD,	AT, DK, IS, MG,	AU, DM, JP, MK,	AZ, DZ, KE, MN,	BA, EE, KG, MW,	BB, ES, KP, MX,	BG, FI, KR, MZ,	BR, GB, KZ, NO,	BY, GD, LC, NZ,	BZ, GE, LK, PL,	CA, GH, LR, PT,	CH, GM, LS, RO,	CN, HR, LT, RU,	<
CA 2410065		US		GH, DE, BJ,	GM, DK, CF,	ES, CG,	FI, CI, B1	FR, CM,	GB, GA, 2002	GR, GN, 0917	IE, GW,	IT, ML, US 2	LU, MR, 000-	MC, NE, 5745	NL, SN,	PT, TD,	SE, TG	TR,	BF,	<
EP 1296648 A1 20030402 EP 2001-931281 20010507 <							A1		2001	1122		CA 2	001-	2410	065		2	0010	507	<
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR NZ 5252524 A 20030725 NZ 2001-522524 20010507 < PZ 2003533469 T 2003111 JP 2001-582737 20010507 < MX 2002011436 A 20030606 MX 2002-11436 20021119 < AU 2003259466 B2 20090108 AU 2006200276 A1 20060209 AU 2006-200276 20060123 < AU 2006200276 B2 20071129 PRAI US 2000-574504 A 20000519 < US 1998-113239P P 19981221 < US 1999-251464 A2 19990217 < US 1999-366284 A2 1999081 < US 1999-366284 A2 1999081 < US 2000-519285 A2 20000306 < AU 2001-46746 A3 20010221 < WO 2001-1B515 W 20010221 <							C		2009	0407										
TE, SI, LT, LV, FI, RO, MK, CY, AL, TR NZ 52524 JP 2003533469 T 20031111 JP 2001-52524 AU 2002011436 AU 2003259466 AU 20040303 AU 2003259466 AU 2006200276 AU 2006200276 AU 2006200276 BE 20071129 PRAI US 2000-574504 AU 2006200276 BE 20071129 PRAI US 2000-574504 AU 2006200276 BE 20071129 PRAI US 2000-574504 AU 2000-6200276 BU 2000-100519		EP					A1		2003	0402		EP 2	001-	9312	81		2	0010	507	<
NZ 52524 A 20030725 NZ 2001-522524 20010507 < PZ 2003533469 T 20031111 JP 2001-583737 20010507 < MX 2002011436 A 2003666 MX 2002-11436 20021119 < AU 2003259466 B2 20090108 AU 2003259466 B2 20090108 AU 2006200276 B2 20071129 PRAI US 2000-574504 A 2000519 < US 1998-113239P P 19981221 < US 1999-251464 A2 19990217 < US 1999-386284 A2 19990217 < US 1999-386284 A2 20000366 < AU 2001-46746 A3 20010221 < WO 2001-18515 W 20010221 <			R:											LI,	LU,	NL,	SE,	MC,	PT,	
AU 2006200276 A1 20060209 AU 2006-200276 20060123 < PARI US 2000-574504 A 20000519 < US 1998-113239P P 19981221 < US 1999-251464 A2 19990217 < US 1999-386284 A2 19990831 < US 2000-519285 A2 20000306 < AU 2001-46746 A3 20010221 < W0 2001-1B515 W 2010221 <		_		IE,	SI,	LT,	LV,	FI,	RO,	MK,	CY,	AL,	TR				_			
AU 2006200276 A1 20060209 AU 2006-200276 20060123 < PARI US 2000-574504 A 20000519 < US 1998-113239P P 19981221 < US 1999-251464 A2 19990217 < US 1999-386284 A2 19990831 < US 2000-519285 A2 20000306 < AU 2001-46746 A3 20010221 < W0 2001-1B515 W 2010221 <		NZ	5225	24			A		2003	0725		NZ 2	001-	5225	24		2	0010	507	<
AU 2006200276 A1 20060209 AU 2006-200276 20060123 < PARI US 2000-574504 A 20000519 < US 1998-113239P P 19981221 < US 1999-251464 A2 19990217 < US 1999-386284 A2 19990831 < US 2000-519285 A2 20000306 < AU 2001-46746 A3 20010221 < W0 2001-1B515 W 2010221 <		JP	2003	5334	69		T		2003	1111		JP 2	001-	5837	37		2	0010	507	<
AU 2006200276 A1 20060209 AU 2006-200276 20060123 < PARI US 2000-574504 A 20000519 < US 1998-113239P P 19981221 < US 1999-251464 A2 19990217 < US 1999-386284 A2 19990831 < US 2000-519285 A2 20000306 < AU 2001-46746 A3 20010221 < W0 2001-1B515 W 2010221 <		MX	2002	0114	36		A		2003	0606		MX 2	002-	1143	6		2	0021	119	<
AU 2006200276 A1 20060209 AU 2006-200276 20060123 < PARI US 2000-574504 A 20000519 < US 1998-113239P P 19981221 < US 1999-251464 A2 19990217 < US 1999-386284 A2 19990831 < US 2000-519285 A2 20000306 < AU 2001-46746 A3 20010221 < W0 2001-1B515 W 2010221 <		ΑU	2003	2594	66		A1		2004	0303		AU 2	003-	2594	66		2	0030	814	<
AU 2006200276 A1 20060209 AU 2006-200276 20060123 < PARI US 2000-574504 A 20000519 < US 1998-113239P P 19981221 < US 1999-251464 A2 19990217 < US 1999-386284 A2 19990831 < US 2000-519285 A2 20000306 < AU 2001-46746 A3 20010221 < W0 2001-1B515 W 2010221 <		ΑU	2003	2594	66		B2		2009	0108										
PRAI US 2000-574504 A 20000519 < US 1998-113239P P 19981221 < US 1999-251464 A2 19990217 < US 1999-366284 A2 19990831 < US 2000-519285 A2 20000306 < AU 2001-46746 A3 20010221 < WO 2001-1B515 W 20010221 <		ΑU	2006	2002	76		A1		2006	0209		AU 2	006-	2002	76		2	0060	123	<
US 1998-113239P P 19981221 < US 1999-251464 A2 19990217 < US 1999-386284 A2 19990831 < US 2000-519285 A2 20000306 < AU 2001-46746 A3 20010221 < WO 2001-IB515 W 20010221 <																				
US 1999-251464 A2 19990217 < US 1999-386284 A2 19990831 < US 2000-519285 A2 20000306 < AU 2001-46746 A3 20010221 < WO 2001-1B515 W 20010221 <	PRAI																			
US 1999-386284 A2 19990831 < US 2000-519285 A2 20000306 < AU 2001-46746 A3 20010221 < WO 2001-1B515 W 20010221 <																				
US 2000-519285 A2 20000306 < AU 2001-46746 A3 20010221 < WO 2001-IB515 W 20010221 <																				
AU 2001-46746 A3 20010221 < WO 2001-IB515 W 20010221 <																				
WO 2001-IB515 W 20010221 <																				
AU 2001-58112 A3 20010507 <																				
WO 2001-CA661 W 20010507 <																				
US 2002-222240 A 20020816 <					240															
WO 2003-IB3908 W 20030814 <																	_			

ASSIGMMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT OSC.G 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS) RE.CNT 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD

ALL CITATIONS AVAILABLE IN THE RE FORMAT

Pressurized container having an aerosolized pharmaceutical composition A pressurized container with an aerosol pharmaceutical formulation, and a process for making the formulation, are provided. The formulation comprises a pharmaceutical agent, a phenol, glycerin or polyglycerin, and an addnl. ingredient such as an alkali metal alkyl sulfate, polidocanol alkyl ether or the like. The formulation is placed in the pressurized container, which is then charged with a propellant. A method of treating a medical condition, by spraying the formulation into the mouth or lungs, is also provided. For example, powdered insulin was dissolved in water using 5M HCl (pH 2) solution dropwise until the insulin was solubilized completely. The solution was then neutralized and 7 mg sodium lauryl sulfate, 7 mg polyoxyethylene ether (10-lauryl) and 7 mg trihydroxy oxo cholanyl glycine were added and dissolved completely. Lecithin, solubilized in a water alc. solution (7 mg/mL) was then added while stirring. The resulting mixed micellar solution had about 200 units insulin. To this mixture 5 mg phenol, 5 mg m-cresol and 10 mg glycerin were added. The solution was pipetted (1 mL/vial) into 10 mL capacity glass vials. The vials were then charged with HFA 134a propellant and the amount of propellant was adjusted to 9 mL shot size in order to deliver 2 units insulin per actuation of the aerosol vial. The aqueous pharmaceutical composition and the propellant remained as

sep. phases. Prior to discharging shots of the formulation, shaking of the vial was necessary in order to entrain the pharmaceutical in the propellant phase. The particle size was determined to be about 7 μm, suggesting that there would be no deep lung deposition formulation and that most of the formulation would be deposited in the buccal cavity. 2001:828918 HCAPLUS <<LOGINID::20091022>>

AN DN 135:362585

TI Pressurized container having an aerosolized pharmaceutical composition IN Modi, Pankai

PA Generex Pharmaceuticals, Inc., Can.

SO U.S., 10 pp., Cont.-in-part of U.S. Ser. No. 272,563.

CODEN: USXXAM DT Patent

LA English

FAN.																			
	PA:	FENT	NO.			KIN	D	DATE			APPL	ICAT	ION	NO.		D.	ATE		
							-												
PΙ		6315				B1		2001			US 1						9990		
		6350						2002									9990.		
		2364						2000			CA 2	000-	2364	610		2	0000	310 ·	<
		2364						2006											
	WO	2000						2000											<
		W:						AZ,											
								EE,											
								KG,											
								MW,											
								TR,											
		RW:						SD,											
								GR,							SE,	BF,	ΒJ,	CF,	
								GW,											
	EP	1162																	<
		R:						ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,	
						LV,													
		2002						2002									0000		
		5143						2002									0000		
		7667						2003									0000		
			2001009466					2002				001-	9466			2	0010	919 -	<
PRAI		1999-272563						1999											
		1999-388344 2000-CA260				A		1999											
	WO	2000	-CA2	60		W		2000	0310	<-	-								

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD (1 CITINGS) RE.CNT 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 17 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN

TI Aerosol formulations for buccal and pulmonary application

AB A mixed micellar aerosol pharmaceutical formulation is provided. The formulation comprises a pharmaceutical agent, an alkali metal alkyl sulfate, at least three micelle-forming compds., a phenol and a propellant. The propellant provides enhanced absorption of the pharmaceutical agent in the buccal region. A process of making and a method of administering the composition are also included. The aerosol formulations of invention resulted in comparable blood glucose level with injection formulations in diabetic volunteers. AN 2001:808253 HCAPLUS <<LOGINID::20091022>>

DM

- 135:348902
- Aerosol formulations for buccal and pulmonary application TΙ
- IN Modi, Pankaj
- PA Generex Pharmaceuticals Incorporated, Can.
- SO U.S., 11 pp., Cont.-in-part of U.S. Ser. No. 251,464.
- CODEN: USXXAM
- Patent DT LA English

FAN.CNT 8

	PA:	ENT NO.			KIN	D	DATE			APPI	LICAT	ION :	NO.		D	ATE		
PI	US US CA WO	6312665 6436367 2354148 20000370	51		B1 B1 A1 A1		2001 2002 2000 2000	1106 0820 0629 0629		US : US : CA : WO :	1999- 1999- 1999- 1999-	3862 2514 2354 CA12	84 64 148 31		1:	9990 9990: 9991: 9991:	831 217 216 216	< < <
		W: AE, CZ, IN, MD, SK, RW: GH, DK, CG,	AL, DE, IS, MG, SL, GM, ES, CI,	AM, DK, JP, MK, TJ, KE, FI, CM,	AT, DM, KE, MN, TM, LS, FR, GA,	AU, EE, KG, MW, TR, MW, GB, GN,	AZ, ES, KP, MX, TT, SD, GR, GW,	BA, FI, KR, NO, TZ, SL, IE, ML,	BB, GB, KZ, NZ, UA, SZ, IT, MR,	BG, GD, LC, PL, UG, TZ, LU, NE,	BR, GE, LK, PT, US, UG, MC, SN,	BY, GH, LR, RO, UZ, ZW, NL, TD,	CA, GM, LS, RU, VN, AT, PT, TG	CH, HR, LT, SD, YU, BE, SE,	CN, HU, LU, SE, ZA, CH, BF,	CR, ID, LV, SG, ZW CY, BJ,	CU, IL, MA, SI, DE, CF,	
	EP EP	1140019 1140019			A1 B1		2001 2003	1010 0625		EP :	1999-	9620	09		1	9991	216	<
		R: AT,	C.T.	LT	T.37	RT.	PΩ											
	JP JP	20025325 3818851	36	ш.,	T B2	,	2002 2006	1002 0906		JP :	2000-	5891	62		1	9991:	216	<
	NZ AU AT EP	20025325 3818851 512188 760445 243498 1338272			A B2 T A1		2002 2003 2003 2003	1025 0515 0715 0827		NZ : AU : AT :	1999- 2000- 1999- 2003-	5121 1851 9620 2417	88 8 09		1:	9991: 9991: 9991:	216 216 216 216	< <
		R: AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,	
	US US MX US US US	2203227 6375975 6451286 20010063 20030035 6849263 20030157 7087215	80 831 029		B1 A A1 B2 A1 B2		2002 2002 2002 2003 2005 2003 2006	0423 0917 0424 0220 0201 0821 0808		US : US : MX : US :	1999- 2000- 2000- 2001- 2002-	5192 5745 6380 2226	85 04 99		21	0000: 0000: 0010: 0020:	306 519 621 816	< < <
PRAI	US	1998-113 1999-251	239P 464		P A2		1998 1999											

```
US 1999-386284 A 19990831 <--
EP 1999-962009 A3 19991216 <--
WO 1999-CA1231 W 19991216 <--
US 2000-519285 A2 20000306 <--
US 2000-574504 A2 20000519 <--
```

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
OSC.G 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (4 CITINGS)
RE.CNT 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 18 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN

- TI Pharmaceutical compositions for buccal and pulmonary application
- AB Pharmaceutical compns. comprising a macromol. pharmaceutical agent in
 - mixed micellar form are disclosed. The mixed micelles are formed from an alkali metal alkyl sulfate, and at least 3 different micelle-forming compds. Micelle size ranges between about 1 and 10 mm. A preferred method for administering the present composition is through the buccal region

of the mouth. A solution of powdered insulin (100 mg) in 10 mL water was prepared and mixed with sodium lauryl sulfate 50, deoxycholate 36,

and makes with Softian lattyl states 30, we desyclostee 30, trihydroxyoxocholanylglycine 50, and dibasic sodium phosphate 20 mg. This mixture was then mixed with 250 mg glycerin, 40 mg m-cresol, and 40 mg phenol.

- AN 2001:676576 HCAPLUS <<LOGINID::20091022>>
- DN 135:231706
- TI Pharmaceutical compositions for buccal and pulmonary application
- IN Modi, Pankaj
- PA Generex Pharmaceuticals Inc., Can.
- SO PCT Int. Appl., 28 pp.
- CODEN: PIXXD2
- DT Patent LA English
- LA Engli: FAN.CNT 8

FAN.	PA:	B IENT						DATE					ION				ATE	
PI	WO		0660	85		A2												221 <
		W:	HU,	CU, ID, LV, SE,	CZ, IL, MA,	DE, IN, MD,	DK, IS, MG,	DM, JP, MK,	AZ, DZ, KE, MN, TJ,	EE, KG, MW,	ES, KP, MX,	FI, KR, MZ,	GB, KZ, NO,	GD, LC, NZ,	GE, LK, PL,	GH, LR, PT,	GM, LS, RO,	HR, LT, RU,
		RW:	GH, DE,	GM, DK,	ES,	FI,	FR,	GB,	SD, GR, GN,	IE,	IT,	LU,	MC,	NL,	PT,	SE,		
	US	6375															0000	306 <
																		221 <
	EP	1261	320			A2		2002	1204		EP 2	001-	9196	86		2	0010	221 <
	EP	1261	320			B1		2008	0625									
		R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,
			IE,	SI,	LT,	LV,	FI,	RO,	MK,	CY,	AL,	TR						
																		221 <
																		221 <
																		906 <
											AU 2	003-	2594	66		2	3030	814 <
		2003							0108									
PRAI		2000																
		3 1998-113239P																
		1999-251464 1999-386284						0217										
	US	1999	-386	284		A2		1999	0831	<-	-							

```
US 2000-574504 A 20000519 <--
AU 2001-46746 A3 20010221 <--
WO 2001-18515 W 20010221 <--
AU 2001-58112 A3 20010507 <--
US 2002-222240 A 20020816 <--
WO 2001-383908 W 2003814 <--
```

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

OSC.G 2 THERE ARE 2 CAPLUS RECORDS THAT CITE THIS RECORD (2 CITINGS)
RE.CNI 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 19 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN

TI Nucleic acid delivery system

AB The present invention is directed to a composition and pharmaceutical prepns. for introducing nucleic acids including oligo- or poly-nucleotides into cells in a host tissue by a delivery system and a method of preparing such a composition The composition for delivery of nucleic acids comprises polymeric carrier particles that are essentially free of groups having a pos. elec. charge and the nucleic acids are provided essentially on the surface of the particles. The carrier particle is insol. in water but suitably it is able to absorb water quickly.

AN 2001:434905 HCAPLUS <<LOGINID::20091022>>

DN 135:37173

TI Nucleic acid delivery system

IN Guan, Holly

PA Artursson, Per, Swed.

SO PCT Int. Appl., 45 pp.

CODEN: PIXXD2 DT Patent

LA English

FAN.							_												
		TENT :																	
PI		2001									WO 2	000-	EPIZ.	339		2	J00T	20/ 4	<
	WO	2001																	
		W:	ΑE,																
									DZ,										
			HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	KΖ,	LC,	LK,	LR,	LS,	LT,	
			LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	ΜZ,	NO,	NZ,	PL,	PT,	RO,	RU,	
			SD,	SE,	SG,	SI,	SK,	SL,	TJ,	TM,	TR,	TT,	TZ,	UA,	UG,	US,	UΖ,	VN,	
			YU,	ZA,	ZW,	SZ,	BE,	CY,	FR,	GR,	IE,	IT,	MC,	NL,	BF,	ВJ,	CF,	CG,	
			CI,	CM,	GA,	GN,	GW,	ML,	MR,	ΝE,	SN,	TD,	TG						
		RW:	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,	
			DE,	DK,	ES,	FI,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL,	PT,	SE,	TR,	BF,	
			BJ,	CF.	CG,	CI,	CM,	GA,	GN,	GW,	ML,	MR.	NE.	SN,	TD,	TG			
	CA	2393	526			A1		2001	0614		CA 2	000-	2393	526		2	0001	207 <	<
	EP	1235	597			A2		2002	0904		EP 2	000-	9813	47		2	0001	207 <	<
																		PT,	
			IE,	SI,	LT.	LV.	FI.	RO.	MK,	CY,	AL.	TR							
	JP	2003	5163	65		T		2003	0513		JP 2	001-	5431	54		2	0001	207 4	<
		7823																	
	MX	2002	0056	97		A		2004	0910		MX 2	002-	5697			2	0020	607 4	<
		2003																	
PRAT									1208			005	_ 15 1			_	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
		1999																	
		2000																	
A C C T		2000 U TU										HC D	TCDI	7 V E	DMA.	т			

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
RE.CNT 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

- L10 ANSWER 20 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- TI Pharmaceutical solubilized in aerosol propellant
- A formulation with a pharmaceutical agent solubilized in a propellant can AB be administered buccally or into the lungs using a metered dose spray applicator. The pharmaceutical agent is dispensed from a pressurized container containing a stable solubilized mixture of propellant which is liquid under pressure and an intermediate formulation. The intermediate formulation comprises the proteinic pharmaceutical agent, water, first ingredient, second ingredient and at least one third ingredient. The first ingredient is glycerin and/or polyglycerin in an amount of 1-50 % of the intermediate formulation. The second ingredient is phenol and/or Me phenol in an amount of 1-20 % of the intermediate formulation. Each third ingredient is selected from the group consisting of alkali metal C8 to C22 alkyl sulfate, polidocanol C6 to C40 alkyl ethers, trihydroxy sodium oxo-cholanyl glycines, polyoxyethylene sorbitan ethers, alkyl-aryl polyether alcs., hyaluronic acid and pharmaceutically suitable salts thereof, monoolein, triolein, lysine, polylysine, oleic acid, linoleic acid, linolenic acid, monooleates and laurates, glycolic acid, lactic acid, chenodeoxycholate, deoxycholate, chamomile extract, cucumber extract, borage oil and evening primrose oil and mixts. thereof, in an amount of 1-50 % of the intermediate formulation. The total concentration of first, second and

third ingredients is less than 90 % of the intermediate formulation.

AN 2000:688050 HCAPLUS <<LOGINID::20091022>>

DN 133:256836

TI Pharmaceutical solubilized in aerosol propellant

IN Modi, Pankaj

PA Generex Pharmaceuticals Inc., Can.

SO PCT Int. Appl., 36 pp.

CODEN: PIXXD2

DT Patent LA English

FAN.CNT 2

E PLIV.		TENT :	NO.			KIN	D	DATE			APPL	ICAT	ION I	NO.		D	ATE		
PI	WO	2000	0562	91		A1		2000	0928		WO 2	000-	CA26	0		2	0000	310 <	-
		W:	AE,	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BY,	CA,	CH,	CN,	CR,	CU,	
			CZ,	DE,	DK,	DM,	DZ,	EE,	ES,	FI,	GB,	GD,	GE,	GH,	GM,	HR,	HU,	ID,	
			IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	
			MA,	MD,	MG,	MK,	MN,	MW,	MX,	NO,	NZ,	PL,	PT,	RO,	RU,	SD,	SE,	SG,	
			SI,	SK,	SL,	TJ,	TM,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VN,	YU,	ZA,	ZW	
		RW:	GH,	GM,	KE,	LS,	MW,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,	DE,	
			DK,	ES,	FI,	FR,	GB,	GR,	ΙE,	IT,	LU,	MC,	NL,	PT,	SE,	BF,	ВJ,	CF,	
			CG,	CI,	CM,	GA,	GN,	GW,	ML,	MR,	NE,	SN,	TD,	TG					
	US	US 6350432 US 6315984				B1		2002	0226		US 1	999-	2725	63		1	9990	319 <	-
	US					B1		2001	1113		US 1:	999-	3883	44		1	99909	903 <	-
		A 2364610									CA 2	000-	2364	610		2	0000	310 <	-
	CA	CA 2364610				С		2006	1219										
	EP	1162	958			A1		2001	1219		EP 2	000-	9088	80		2	0000	310 <	-
		R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,	
			IE,	SI,	LT,	LV,	FI,	RO											
	JP	2002	5392	40		T		2002	1119		JP 2	000-	6061	97		2	0000	310 <	-
	NZ	5143	19			A		2002	1126		NZ 2	000-	5143	19		2	0000	310 <	-
	AU	7667	45			B2		2003	1023		AU 2	000-	3140	0		2	0000	310 <	-
	MX	X 2001009466			A		2002	0514		MX 2	001-	9466			2	00109	919 <	-	
PRAI	I US 1999-272563				A		1999	0319	<-	-									
							1999	0903	<-	-									
	WO 2000-CA260				W		2000	0310	<-	-									

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT OSC.G 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (4 CITINGS) RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD

ALL CITATIONS AVAILABLE IN THE RE FORMAT

- L10 ANSWER 21 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- TT Pulmonary drug delivery
- AB An aerosol pharmaceutical formulation comprises a protein pharmaceutical agent, water, a phenol and a propellant. The phenol is phenol and/or Me phenol in a concentration of from 1 to 10 weight/weight% of the total

formulation. The

propellant is a C1-C2 dialkyl ether, butanes, fluorocarbon propellant, hydrogen-containing fluorocarbon propellant, chlorofluorocarbon propellant, or hydrogen-containing chlorofluorocarbon propellant, or mixts. thereof. Optionally, excipients selected from salts, antioxidants, coloring agents, flavoring agents, protease inhibitors, stabilizers, glycerin, polyglycerin, lysine, polylysine and mixts, thereof, may be present. Preferably, the formulation is administered buccally, using a metered dose dispenser. An example is given for insulin as the active agent.

2000:441603 HCAPLUS <<LOGINID::20091022>> AN

- DN 133:63986
- TΙ Pulmonary drug delivery
- IN Modi, Pankaj
- PA Generex Pharmaceuticals Inc., Can.
- SO PCT Int. Appl., 25 pp.
- CODEN: PIXXD2
- DT Patent
- LA English

FAN	.CNT	1
	PA	TEN:

FAN.	PA	I TENT NO.																
PI	WO	2000037	052		A1		2000	0629		WO 1	999-	CA12	32		1	9991:	216 <	
		W: AE	, AL,	AM,	ΑT,	AU,	AZ,	BA,	BB,	BG,	BR,	BY,	CA,	CH,	CN,	CR,	CU,	
		CZ	, DE,	DK,	DM,	EE,	ES,	FI,	GB,	GD,	GE,	GH,	GM,	HR,	HU,	ID,	IL,	
		IN	, IS,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	MA,	
		ME	, MG,	MK,	MN,	MW,	MX,	NO,	ΝZ,	PL,	PT,	RO,	RU,	SD,	SE,	SG,	SI,	
		SK	, SL,	ТJ,	TM,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VN,	YU,	ZA,	ZW		
		RW: GH	, GM,	KE,	LS,	MW,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,	DE,	
		DK	, ES,	FI,	FR,	GB,	GR,	ΙE,	IT,	LU,	MC,	NL,	PT,	SE,	BF,	ВJ,	CF,	
			, CI,															
	US	6294153	294153				2001	0925		US 1	999-	3971	02		1	9990	916 <	
	CA	2353847	353847				2000	0629		CA 1	999-	2353	847		1	9991:	216 <	
	CA	2353847			С		2007	0306										
			353847 143931							EP 1	999-	9620	10		1	9991:	216 <	
	EP	1143931			B1		2006	1004										
		R: AI	, BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,	
			, SI,															
	JP	2002532	537		T		2002	1002		JP 2	000-	5891	63		1		216 <	
	JΡ	3818852 512272			B2		2006	0906										
	NZ	512272			A													
		759051					2003	0403		AU 2	000-	1851	9		1	9991:	216 <	
		341309					2006	1015		AT 1	999-	9620	10		1	9991:	216 <	
			2274651														216 <	
	MX	2001006377			Α		2002				001-	6377			2	0010	621 <	
PRAI	US	1998-113243P			P		1998	1221	<-	-								
	US	1999-397102			A		1999	0916	<-	_								

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT OSC.G 3 THERE ARE 3 CAPLUS RECORDS THAT CITE THIS RECORD (3 CITINGS) RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

19991216 <---

WO 1999-CA1232 W

L10 ANSWER 22 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN

TI Aerosol formulations for buccal and pulmonary application

```
AB
    A mixed micellar aerosol pharmaceutical formulation includes a micellar
     protein pharmaceutical agent, an alkali metal lauryl sulfate, at least
     three micelle forming compds., a phenol and a propellant. The micelle
     forming compds, are selected from the group consisting of lecithin,
     hyaluronic acid, pharmaceutically acceptable salts of hyaluronic acid,
     glycolic acid, lactic acid, chamomile extract, cucumber extract, oleic acid,
     linoleic acid, linolenic acid, monoolein, monooleates, monolaurates,
     borage oil, evening of primrose oil, menthol, trihydroxy oxocholanyl
     glycine and pharmaceutically acceptable salts thereof, glycerin,
     polyglycerin, lysine, polylysine, triolein, polyoxyethylene ethers and
     analogs thereof, polydocanol alkyl ethers and analogs thereof,
     chenodeoxycholate and deoxycholate. The amount of each micelle forming
     compound is present in a concentration of from 1 to 20 weight/weight% of the
total
     formulation, and the total concentration of micelle forming compds. are less
than
     50 weight/weight% of the formulation. The propellant, e.g., a fluorocarbon
     propellant, provides enhanced absorption of the pharmaceutical agent,
     particularly in the buccal cavity. An example was given using insulin as
     the active ingredient.
AN
     2000:441602 HCAPLUS <<LOGINID::20091022>>
DN
    133:63985
TI
     Aerosol formulations for buccal and pulmonary application
IN
    Modi, Pankai
    Generex Pharmaceuticals Inc., Can.
SO
    PCT Int. Appl., 46 pp.
    CODEN: PIXXD2
DT
     Patent
LA
    English
FAN.CNT 8
                       KIND DATE
                                                                DATE
     PATENT NO.
                                          APPLICATION NO.
                        A1 20000629 WO 1999-CA1231
    WO 2000037051
                                                                 19991216 <--
        W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU,
            CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,
             IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,
            MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI,
             SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW
         RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
```

```
DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,
              CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
     US 6436367
                           B1
                                 20020820 US 1999-251464
                                                                        19990217 <--
     US 6312665
                           B1
                                  20011106
                                              US 1999-386284
                                                                        19990831 <--
     CA 2354148
                           A1
                                  20000629
                                              CA 1999-2354148
                                                                        19991216 <--
     EP 1140019
                           A1
                                  20011010
                                               EP 1999-962009
                                                                        19991216 <--
     EP 1140019
                           B1
                                 20030625
          R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
              IE, SI, LT, LV, FI, RO
                           T
     JP 2002532536
                                  20021002
                                               JP 2000-589162
                                                                        19991216 <--
B2
A7 243498
A7 243498
A8 2001006380
A PRAI US 1998-113239P
US 1999-251464
W0 1999-CA127
ASSIGNMENT "
SSC 7
     JP 3818851
                           B2
                                  20060906
                                              NZ 1999-512188
                                  20021025
                                                                        19991216 <--
                                  20030515
                                               AU 2000-18518
                                                                        19991216 <--
                                               AT 1999-962009
                                  20030715
                                                                        19991216 <--
                                  20020424
                                               MX 2001-6380
                                                                        20010621 <--
                                  19981221 <--
                                  19990217 <--
     US 1999-386284 A 19990831 <--
WO 1999-CA1231 W 19991216 <--
                                  19991216 <--
```

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT OSC.G 9 THERE ARE 9 CAPLUS RECORDS THAT CITE THIS RECORD (9 CITINGS) THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD

ALL CITATIONS AVAILABLE IN THE RE FORMAT

- L10 ANSWER 23 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- TT Superparamagnetic iron oxide contrast agent
- AB Particulate contrast agents, especially contrast agents for magnetic resonance imaging, have a metal oxide, preferably superparamagnetic Fe oxide, core provided with a low coating d. of a polyelectrolyte coating agent selected from structural polysaccharides and synthetic polymers, especially polyamino acids. Unlike conventional coated particulates, these particles have reduced or no effect on cardiovascular parameters, platelet depletion, complement activation, and blood coagulation. Thus, when a dilute suspension containing 0.5 g synthetic magnetite particles was mixed with 10,000 IU heparin, 54% of the heparin was adsorbed to the particle surface; the ζ potential was -61 mV. These coated particles were unaffected by autoclaving and, when injected i.v., caused only minor and transient changes in mean systemic and pulmonary arterial pressures and circulating platelet counts in rabbits and in partial thromboplastin time in rats.
- AN 1996:388321 HCAPLUS <<LOGINID::20091022>>
- DM 125:41798
 - OREF 125:7937a,7940a
 - Superparamagnetic iron oxide contrast agent
 - IN Fahlvik, Anne Kiersti; Naevestad, Anne; Gundersen, Helge; Strande, Per; Klaveness, Jo: Jacobsen, Anne
- Nycomed Imaging A/s, Norway; Cockbain, Julian Roderick Michaelson PA SO PCT Int. Appl., 60 pp.
- CODEN: PIXXD2
- DT Patent
- LA English

FAN.	PA:	TENT NO.					DATE				ICAT					ATE		
PI	WO	9609840			A1		1996	0404	1	WO 1	994-	GB20	97		1	9940	927 <	
		W: AM,																
		GB,	GE,	HU,	JP,	KE,	KG,	KP,	KR,	KZ,	LK,	LR,	LT,	LU,	LV,	MD,	MG,	
		MN,	MW,	NL,	NO,	NZ,	PL,	PT,	RO,	RU,	SD,	SE,	SI,	SK,	TJ,	TT,	UA,	
		US,	UZ															
		RW: KE,																
				PT,	SE,	BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	ML,	MR,	ΝE,	SN,	
			TG															
		2201158			A1		1996										927 <	
		9477029					1996			AU I	994-	//02	9		1	9940	927 <	
		687093					1998			4								
		783325					1997			EP I	994-	92//	24		1	9940	927 <	
		783325					1999											
	EP	783325					2004											
		R: AT,	BE,	CH,														
		1174510			A					CN 1	994-	1952	04		1	9940	927 <	
	CN	1071580			C		2001											
		10506121					1998										927 <	
	ΑT	187079			T		1999	1215	- 1	AT 1	994-	9277	24		1	9940	927 <	
	ES	2139097			Т3		2000	0201	1	ES 1	994-	9277	24		1	9940	927 <	
	RU	2147243			C1		2000	0410	1	RU 1	997-	1067	73		1	9940	927 <	
	NO	9701436			A		1997	0523	1	NO 1	997-	1436			1	9970.	325 <	
PRAI	EP	1994-927	724		A		1994	0927	<	-								
	WO	1994-GB2	097				1994	0927	<	-								

WO 1994-GB2097 OSC.G 7 THERE THERE ARE 7 CAPLUS RECORDS THAT CITE THIS RECORD (7 CITINGS) RE.CNT 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

- TI Superoxide dismutase, mimetics thereof, therapeutic use thereof, and isolation and sequencing of human EC superoxide dismutase gene
- AB The present invention relates, in general, to a method of modulating physiol. and pathol. processes and, in particular, to a method of modulating intra- and extracellular levels of superoxide radicals and thereby processes in which such radicals are a participant. The invention also relates to compds. and compns. suitable for use in such methods. The invention claims superoxide dismutase (SOD) mimetics which comprise a N-containing macrocyclic moiety and a cell surface or extracellular matrix targeting moiety, or a pharmaceutically acceptable salt thereof. The macrocyclic moiety of the SOD mimetic is e.g. a porphyrin derivative (Markush included) which may be complexed with manganese, copper, or iron; the targeting moiety is e.g. a peptide sequence (sequences included). Also included is the isolation and sequencing of the human gene for EC-SOD (tetrameric glycosylated copper- and zinc-containing SOD found in the extracellular fluid and bound to the extracellular matrix). A SOD mimetic protected against paraquat-induced injury in cultured rat pulmonary epithelial cells.

AN 1995:721195 HCAPLUS <<LOGINID::20091022>>

DN 123:218443

OREF 123:38599a,38602a

TI Superoxide dismutase, mimetics thereof, therapeutic use thereof, and isolation and sequencing of human EC superoxide dismutase gene

IN Crapo, James D.; Fridovich, Irwin; Oury, Tim; Day, Brian J.; Folz, Rodney J.; Freeman, Bruce A.

PA Duke University, USA; University of Alabama at Birmingham Research Foundation

SO PCT Int. Appl., 135 pp.

CODEN: PIXXD2

DT Patent LA English

LA English

PATENT NO.						DATE		APPLICATION NO.								
PI		9510185 W: AU,					99504	20							1013	<
		RW: AT,			DE.	DK. I	ES. F	R.	GB. GF	. TE.	TT.	LII.	MC.	NI. PT	. SE	
	CA															
	CA	2174236 2174236			С	2	00802	12								
		2614621			A1	1	99504	20	CA	1994-	2614	621		1994:	1013	<
		9479763			A	1	99505	04	AU	1994-	7976	3		1994:	1013	<
	AU	702596			B2	13	99902	25								
	EP	723398			A1	1	99607	31	EP	1994-	9307	29		1994	1013	<
	EP	723398			B1	2	00503	23								
		R: AT,														
		09505805														
		1442747														
		R: AT,														
	ΑT	291351			T	2	00504	15	AT	1994-	-9307	29		1994	1013	<
	ES	2237753			Т3	2	00508	01	ES	1994-	-9307	29		1994:	1013	<
		769217														
	ΑU	20042016	24		A1	2	00405	13	AU	2004-	-2016	24		20040)420	<
PRAI		1993-136														
		1994-217														
		1994-930					99410									
		1994-US1														
		1996-638														
		2000-535			A	2	00008	21	<							
US	MAI	RPAT 123:	2184	43												

OSC.G 11 THERE ARE 11 CAPLUS RECORDS THAT CITE THIS RECORD (11 CITINGS)

- L10 ANSWER 25 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- Method and apparatus for administering dehydrated drug-containing liposomes by inhalation
- AB Self-contained apparatus or systems and methods for delivering a selected amount.

of drug, efficiently and reproducibly, in liposome-encapsulated form are described. The apparatus includes liposome particles formed by spray drying a dilute aqueous suspension of the liposomes. The particles formed have a fine particle size, retain the majority of their originally encapsulated material, and are stable in a preferred formulation, when suspended in a fluorocarbon solvent. The liposomes are preferably formed from partially or totally saturated phospholipids and dried in a stream of heated gas whose temperature does not degrade the lipids or structural integrity of the liposomes. The apparatus further includes a self-contained delivery device for producing an airborne suspension of the liposomes containing a metered dose of drug, e.g. a metered-dose spray device. Alternatively, the liposomes and a metered amount of the liposome-entrapped drug are contained in individual packets and the delivery device is e.g. a propellant spray device designed to release a stream of aerosolized propellant particles through the packet to entrain the liposomes in the stream. Views of various embodiments of liposome delivery apparatus are shown. Liposomes containing encapsulated metaproterenol sulfate (MPS) were prepared by solvent injection, diluted, and spray dried. The spray-dried liposomes were suspended in Freon 115 or Freon 114, stored for several days, and sprayed onto a moist plate for rehydration. The amount of encapsulated drug on rehydration was .apprx.50%. This delivery system has the advantages of (a) reduced side effects due to rapid systemic drug uptake; (b) improved therapeutic action over an extended period; and (c) the ability to modulate rate of drug release from the target site.

- AN 1990:503430 HCAPLUS <<LOGINID::20091022>>
- DN 113:103430
- OREF 113:17379a
- Method and apparatus for administering dehydrated drug-containing liposomes by inhalation
- TN Radhakrishnan, Ramachandran; Mihalko, Paul J.; Abra, Robert M.
- PA Liposome Technology, Inc., USA
- SO U.S., 11 pp. Cont.-in-part of U.S. Ser. No. 737,221, abandoned.
- CODEN: USXXAM DT
- Patent
- T.A English
- FAN. CNT 3

		PATENT NO.	KIND	DATE	APPLIC.	ATION NO.	DATE		
	PI	US 4895719	A	19900123	US 198	7-22937		19870306	<
		US 5340587	A	19940823	US 198	9-366299		19890613	<
		US 5192528	A	19930309	US 198	9-444360		19891201	<
	PRAI	US 1985-737221	B2	19850522	<				
		US 1986-860528	B2	19860507	<				
		US 1986-937609	A2	19861203	<				
		US 1986-937607	A	19861203	<				
		US 1987-22937	A2	19870306	<				
		US 1987-22669	B1	19870319	<				
	ASSI	SNMENT HISTORY FOR U	S PATEN'	T AVAILABLE	E IN LSUS	DISPLAY	FORMAT		

OSC.G 59 THERE ARE 59 CAPLUS RECORDS THAT CITE THIS RECORD (59 CITINGS) RE.CNT 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

- L10 ANSWER 26 OF 26 HCAPLUS COPYRIGHT 2009 ACS on STN
- TT New carbohydrate site in mutant antithrombin (7 Ile \rightarrow Asn) with decreased heparin affinity
- A mutant antithrombin was isolated from the plasma of a patient with

pulmonary embolism. The new protein, which accounted for 55% of the antithrombin, had decreased heparin affinity and contained 2 components when analyzed on the basis of either charge or mol. mass. Sialidase and endo- β -N-acetylglucosaminidase F treatment suggested that this heterogeneity was due to a partial glycosylation occurring at a new carbohydrate attachment sequence. Peptide mapping by reverse-phase HPLC showed that the abnormality involved the N-terminal tryptic peptide. Sequence anal. demonstrated that the underlying mutation was 7 Ile \rightarrow Asn which introduces a new Asn-0ys-Thr glycosylation sequence. This new oligosaccharide attachment site occupies the base of the proposed heparin-binding site, and the finding explains the consequent decrease in heparin affinity.

- AN 1988:609085 HCAPLUS <<LOGINID::20091022>>
- DN 109:209085
- OREF 109:34555a,34558a
- TI New carbohydrate site in mutant antithrombin (7 Ile \rightarrow Asn) with decreased heparin affinity
- AU Brennan, Stephen O.; Borg, Jeanne Yvonne; George, Peter M.; Soria, Claudine; Soria, Jeannette; Caen, Jacques; Carrell, Robin W.
- CS Christchurch Sch. Med., Christchurch Hosp., Christchurch, N. Z. SO FEBS Letters (1988), 237(1-2), 118-22
- CODEN: FEBLAL; ISSN: 0014-5793
- DT Journal
- LA English
- OSC.G 16 THERE ARE 16 CAPLUS RECORDS THAT CITE THIS RECORD (16 CITINGS)